

GENERAL NOTES

1. Before doing any construction, grading, curb cutting, or removing existing curbing within the street right-of-way, the contractor must have a driveway construction permit issued by the City Engineer as specified in the City of Gastonia Code of Ordinances, Sections **7-21, thru 71-25**.
2. The contractor will be required to remove curb and gutter as per **71D-17**.
3. Alternate driveway installation as per **71D-17A** may be allowed, but will require special approval by City staff.
4. Contractor may be required to remove & replace curb and gutter to nearest joint.
5. If the gutter section is damaged or cracked while removing the curb, the existing gutter section must be removed and repoured with the new driveway section.
6. The contractor shall sufficiently compact all subgrade before pouring driveway and gutter section.
7. Where the driveway is to be continued across the right-of-way line onto private property, the contractor shall be required to install 1/2" expansion joint material the entire width of the drive.

SHEET 1 OF 2

REVISED		DATE: 4-15-74	Standard Detail	OFFICE OF THE	
7/09/85 12/01/00 3/17/05 1/07/15		SCALE: NONE		General Notes for Concrete Driveway Entrance	CITY ENGINEER
		DRAWN BY: PMB, MB	GASTONIA, N.C.		
		CHECKED BY: DFD, GVS, TAJ	FILE NO.		71D-18
		CITY ENGINEER: JPB, CCB			